


Stainless Steel Pipe Fitting ISO4144 Pattern




90° Elbow



45° Elbow



规格	$\phi 4$	L
1/8	14.5	17.0
1/4	18.0	19.0
3/8	22.0	23.0
1/2	26.5	27.0
3/4	32.0	32.0
1	39.5	38.0
1 1/4	49.0	45.0
1 1/2	55.5	48.0
2	68.5	57.0
2 1/2	86.0	69.0
3	97.7	78.0
4	125.0	96.0




规格	$\phi 3$	T	L
1/8	13.0	2.5	16.0
1/4	17.5	2.75	17.0
3/8	20.0	2.8	19.0
1/2	24.5	1.65	21.0
3/4	30.0	1.75	25.0
1	37.5	2.0	29.0
1 1/4	47.0	2.25	33.0
1 1/2	53.0	2.50	37.0
2	65.5	2.85	42.0
2 1/2	82.0	3.25	49.0
3	95.5	3.75	54.0
4	121.5	4.25	64.0




90° Street Elbow



45° Street Elbow




规格	P	T1	T2	A	B
1/8	3.0	2.5	1.55	17.0	26.0
1/4	3.0	2.75	1.7	19.0	28.0
3/8	3.0	2.8	1.9	23.0	30.0
1/2	3.0	1.75	1.75	27.0	36.0
3/4	4.0	1.75	1.75	32.0	40.0
1	4.0	2.0	2.0	38.0	47.0
1 1/4	4.0	2.25	2.25	45.0	55.0
1 1/2	5.0	2.5	2.5	48.0	57.0
2	5.0	2.85	2.75	57.0	70.0
2 1/2	6.0	3.25	3.25	69.0	83.0
3	7.0	3.75	3.75	78.0	94.0
4	9.0	4.25	4.25	97.0	115.0




规格	A	B
DN10	18	29
DN15	23	32
DN20	25.5	35.5
DN25	28	42.5
DN32	33	44.5
DN40	35	44.5
DN50	40	58
DN65	50	70
DN80	56	75
DN100	68	90

Tee



规格	$\phi 3$	T	L
1/8	13.0	2.5	17.0
1/4	16.5	2.75	19.0
3/8	20.0	2.8	23.0
1/2	24.5	1.65	27.0
3/4	30.0	1.75	32.0
1	37.5	2.0	38.0
1 1/4	46.5	2.25	45.0
1 1/2	53.0	2.5	48.0
2	65.5	2.85	57.0
2 1/2	82.0	3.25	69.0
3	95.5	3.75	78.0
4	121.5	4.25	96.0


Hex Cap



规格	T	(六方)H	(八方)H	(十方)H	L
1/8	1.5	13.5			13.5
1/4	1.5	17.0			17.0
3/8	1.5	20.5			17.5
1/2	1.7	25.0			21.0
3/4	1.7		31.0		22.5
1	2.0		38.0		26.0
1 1/4	2.3		47.0		29.0
1 1/2	2.5		53.0		29.0
2	3.0		66.0		33.5
2 1/2	3.5			82.0	38.5
3	3.8			95.5	42.0
4	4.4			121.5	48.5




Hex Nipple



规格	Ø1	L	(六方)H	(十方)H
1/8	5.5	20.0	11.0	
1/4	8.0	25.0	15.0	
3/8	11.5	27.0	18.0	
1/2	15.0	34.0	22.0	
3/4	20.5	36.5	28.0	
1	26.0	42.0	35.0	
1 1/4	34.5	47.5	43.5	
1 1/2	40.0	47.5	49.5	
2	51.0	57.0	62.0	
2 1/2	65.5	61.0	77.5	
3	77.5	67.5		90.5
4	101.5	80.0		117.0




HEX NUT



规格	(六方)H	(八方)H	(十方)H	L
1/8	15.0			5.0
1/4	18.0			6.0
3/8	22.0			6.0
1/2	27.0			7.0
3/4		32.0		7.0
1		40.0		9.0
1 1/4		48.0		11.0
1 1/2		55.0		11.0
2		68.0		13.0
2 1/2			85.0	15.0
3			100	17.0
4			125	20.0




Hose Nipple



规格	φ3	L	(六方) H	(八方) H	(十方) H
1/8	8.0	38	11.0		
1/4	9.0	42.5	15.0		
3/8	11.5	49	18.0		
1/2	15.0	57.5	22.0		
3/4	20.0	66		28.0	
1	27.0	76		35.0	
1 1/4	33.0	79.0		43.5	
1 1/2	39.5	83.0		49.5	
b 2	52.0	92.0	62.0		
b 2 1/2	67.0	99.0			77.5
b 3	80.0	107.5			90.5
4	105.0	117			117.0


HEX Plug



其余


规格	L	(六方)H	(八方)H	(十方)H
1/8	12	11.0		
1/4	14.5	15.0		
3/8	16.0	18.0		
1/2	19.5	22.0		
3/4	21		28.0	
1	24.0		35.0	
1 1/4	27.0		43.5	
1 1/2	27.0		49.5	
2	32.0		62.0	
2 1/2	34.0			77.5
3	37.5			90.5
4	44.0			117.0

Square Plug




规格	phi 1	T
1/8	—	—
1/4	9.6	—
3/8	13.0	—
1/2	16.5	1.8
3/4	21.5	1.8
1	27.5	2.0
1 1/4	36.0	2.25
1 1/2	41.8	2.5
2	52.5	2.85
2 1/2	65.5	3.25
3	77.5	3.75
4	101.5	4.25

Hex Bushing




规格		L	B	(六方)H	(八方)H
1/4	1/8	16		14.0	
3/8	1/8	16.5	9.5	18.0	
	1/4	16.5	8.5	18.0	
1/2	1/8	20.0	13.0	22.0	
	1/4		12.0	22.0	
	3/8		11.0	22.0	
3/4	1/8	21.0	14.0	27.5	
	1/4		13.5	27.5	
	3/8		12.0	27.5	
	1/2		9.0	27.5	
1	1/8	24.5	19.0	34.5	
	1/4		17.0	34.5	
	3/8		16.5	34.5	
	1/2		14.0	34.5	
	3/4		11.0	34.5	
1 1/4	1/4	27.5	20.0	43.0	
	3/8		19.5	43.0	
	1/2		17.0	43.0	
	3/4		16.0	43.0	
	1		15.0	43.0	
1 1/2	3/8	28.5	20.5	49.0	
	1/2		17.0	49.0	
	3/4		17.0	49.0	
	1		16.0	49.0	
	1 1/4		11.5	49.0	

Hex Bushing



规格		L	B	(六方)H	(八方)H
2	1/2	33.0	22.5	61.0	
	3/4		21.5	61.0	
	1		20.5	61.0	
	1 1/4		18.0	61.0	
	1 1/2		18.0	61.0	
2 1/2	3/4	37.0	25.5		76.0
	1		24.5		76.0
	1 1/4		22.0	80.5	
	1 1/2		22.0		76.0
	2		19.0		76.0
	1	40.0	27.5	90.5	
	1 1/4		25.0		90.0
3	1 1/2		25.0	95.5	90.0
	2		22.0		90.0
	2 1/2		20.0		90.0
4	1	46.0	33.5		115.0
	1 1/4		31.0		115.0
	1 1/2		31.0		115.0
	2		28.0		115.0
	2 1/2		26.0		115.0
	3		25.5		115.0

Reducer Elbow




其余√

规格		A	B
1/4	1/8	18.0	18.0
3/8	1/8	19.0	20.0
	1/4	20.0	22.0
	1/8	19.0	22.0
	1/4	24.0	24.0
1/2	3/8	26.0	25.0
	1/2	22.0	25.0
3/4	1/4	24.0	28.0
	3/8	28.0	28.0
	1/2	29.0	30.0
	3/4	26.0	32.0
1	3/8	28.0	33.0
	1/2	32.0	33.0
	3/4	34.0	35.0
	1	29.0	37.0
1 1/4	1/2	34.0	37.0
	3/4	38.0	40.0
	1	40.0	42.0
	1 1/4	34.0	40.0
1 1/2	3/4	37.0	43.0
	1	41.0	45.0
	1 1/4	45.0	48.0
	1 1/2	37.0	43.0

规格		A	B
2	1/2	37.0	47.0
	3/4	40.0	49.0
	1	44.0	51.0
	1 1/4	48.0	54.0
	1 1/2	52.0	55.0
	2	44.0	57.0
2 1/2	3/4	47.0	59.0
	1	52.0	62.0
	1 1/4	55.0	62.0
	1 1/2	60.0	65.0
	2	52.0	64.0
	2 1/2	56.0	68.0
3	1	59.0	68.0
	1 1/4	62.0	72.0
	1 1/2	72.0	75.0
	2	56.0	78.0
	2 1/2	60.0	82.0
	3	64.0	82.0
4	1	70.0	86.0
	1 1/4	78.0	90.0
	1 1/2	83.0	91.0
	2	56.0	78.0
	2 1/2	60.0	82.0
	3	64.0	82.0

Reducer Tee




其余

规格	A	B
1/4	18.0	18.0
3/8	19.0	20.0
1/2	20.0	22.0
3/4	22.0	25.0
1	24.0	28.0
1 1/4	26.0	32.0
1 1/2	28.0	33.0
2	32.0	35.0
2 1/2	34.0	37.0
3	37.0	40.0
3 1/2	40.0	42.0
4	41.0	45.0
4 1/2	45.0	48.0

规格	A	B
1/2	37.0	47.0
3/4	40.0	49.0
1	44.0	51.0
1 1/4	48.0	54.0
1 1/2	52.0	55.0
2	53.0	57.0
2 1/2	57.0	59.0
3	59.0	62.0
3 1/2	62.0	65.0
4	64.0	68.0
4 1/2	68.0	72.0
5	72.0	75.0
5 1/2	78.0	82.0
6	82.0	86.0
6 1/2	86.0	90.0
7	91.0	91.0



Reducer Hex Nipple




规格		$\phi 1$	$\phi 3$	M
1/4	1/8	8	5.5	4
3/8	1/8	11.5	5.5	5
	1/4	11.5	8	5
1/2	1/8	15.0	5.5	5
	1/4	15.0	8	5
	3/8	15.0	11.5	5
3/4	1/8	20.5	5.5	5.5
	1/4	20.5	8	5.5
	3/8	20.5	11.5	5.5
	1/2	20.5	15.0	5.5
	3/8	26.0	11.5	6
1	1/2	26.0	15.0	6
	3/4	26.0	20.5	6
1 1/4	1/2	34.5	15.0	6.5
	3/4	34.5	20.5	6.5
	1	34.5	26.0	6.5
	3/4	40.0	20.5	6.5
1 1/2	1	40.0	26.0	6.5
	1 1/4	40.0	34.5	6.5

规格		$\phi 1$	$\phi 3$	M
2	1	51.0	26.0	7
	1 1/4	51.0	34.5	7
	1 1/2	51.0	40.0	7
2 1/2	1	65.5	26.0	7
	1 1/4	65.5	34.5	7
	1 1/2	65.5	40.0	7
	2	65.5	51.0	7
3	1 1/2	77.5	40.0	7.5
	2	77.5	51.0	7.5
	2 1/2	77.5	65.5	7.5
	1	101.5	26.0	8
	1 1/4	101.5	34.5	8
	1 1/2	101.5	40.0	8
4	2	101.5	51.0	8
	2 1/2	101.5	65.5	8
	3	101.5	77.5	8




Reducing coupling



规格	$\phi 2$	$\phi 5$	L
1/4	16.5	13.0	25.0
3/8	20.0	13.0	23.0
		16.5	26.0
1/2	25.7	13.2	34.0
		16.5	
		20.2	
3/4	31.0	13.0	36.0
		16.5	
		20.0	
		24.5	
1	38.0	16.5	42.0
		20.0	
		24.7	
		30.0	
1 1/4	46.5	16.5	48.0
		20.0	
		24.7	
		30.0	
		38.0	
1 1/2	53.0	24.7	52.0
		30.0	
		38.0	
		47.0	


规格	$\phi 2$	$\phi 5$	L
2	66.0	24.7	58.0
		30.0	
		38.0	
		47.0	
		53.0	
2 1/2	82.0	30.0	65.0
		38.0	
		47.0	
		53.0	
		66.0	
3	96.5	38.0	72.0
		47.0	
		53.0	
		66.0	
		82.0	
4	123.5	38.0	94.0
		47.0	
		53.0	
		66.0	
		82.0	

Union-Conical-F/F




规格	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
A	13.0	13.5	15.5	16.5	18.0	19.0	22.0	24.0	26.0	30.0	31.0	34.0
L	26.0	31.5	36.5	39.5	42.5	49.0	54.0	58.0	65.0	75.0	80.5	96.0
H1	25.0	30.5	34.0	37.0	46.0	52.0	65.0	70.0	86.0	105.0	118.0	144.0

Union-Conical-M/F




规格	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
A	13.0	13.5	15.5	16.5	18.0	19.0	22.0	24.0	26.0	30.0	31.0	34.0
D _a	5.5	7.7	11.5	15.0	20.2	26.0	35.0	40.0	50.7	65.5	78.5	97.5
L	35.0	44.0	47.5	54.0	58.0	68.0	74.5	78.5	90.0	96.0	108.0	120.0
H	25.0	30.5	34.0	37.0	46.0	52.0	65.0	70.0	86.0	105.0	118.0	144.0
方数	八方	八方	八方	八方	八方	八方	十方	十方	十方	十方	十方	十方
H1	13.5	17.0	20.5	24.5	31.0	38.0	47.0	53.0	66.0	82.0	95.5	121.5
方数	八方	八方	八方	八方	八方	八方	十方	十方	十方	十方	十方	十方

Union-Flat-M/F




规格	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
A	13.0	13.5	15.5	16.5	18.0	19.0	22.0	24.0	26.0	30.0	31.0	34.0
D _q	5.5	7.7	11.5	15.0	20.2	26.0	35.0	40.0	50.7	65.5	78.5	97.5
L	35.0	44.0	47.5	54.0	58.0	68.0	74.5	78.5	90.0	96.0	108.0	120.0
H1	25.0	30.5	34.0	37.0	46.0	52.0	65.0	70.0	86.0	105	118.0	144.0
方数	八方	八方	八方	八方	八方	八方	十方	十方	十方	十方	十方	十方
H	13.5	17.0	20.5	24.5	31.0	38.0	47.0	53.0	66.0	82.0	95.5	121.5
方数	八方	八方	八方	八方	八方	八方	十方	十方	十方	十方	十方	十方

Union-Conical-BW



规格	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
A	13.0	13.5	15.5	16.5	18.0	19.0	22.0	24.0	26.0	24.0	26.0	33.2
L	26.0	35.5	39.5	44.5	46.0	51.0	54.0	57.0	76.0	65.0	79.0	93.5
$\phi 1$	6.2	8.8	12.5	16.0	21.6	27.2	35.9	41.8	53.0	68.8	80.8	105.3
$\phi 2$	10.2	13.5	17.2	21.3	26.9	33.7	42.4	48.3	60.3	76.1	88.9	114.3

Union-Flat-BW



规格	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
A	13.0	13.5	15.5	16.5	18.0	19.0	22.0	24.0	26.0	24.0	26.0	33.2
L	26.0	35.5	39.5	44.5	46.0	51.0	54.0	57.0	76.0	65.0	79.0	93.5
$\phi 1 \pm 0.15$	6.2	8.8	12.5	16.0	21.6	27.2	35.9	41.8	53.0	68.8	80.8	105.3
$\phi 2 \pm 0.15$	10.2	13.5	17.2	21.3	26.9	33.7	42.4	48.3	60.3	76.1	88.9	114.3